




KLIK WALL

Your people change. Your business changes.
Your walls should too.

Scan for more



A modern office interior with people working at desks. A large glass partition, likely the 'Glazed Frog modular wall' mentioned in the text, is visible in the background. The office has a clean, professional look with contemporary furniture and lighting.

Why Glazed Frog modular wall?

Klik Wall is designed to adapt as your space evolves.

Our modular system allows for easy disassembly and reassembly, interchangeable outer finishes, convenient service access, and high acoustic performance.

Electrical wiring, data cabling, and other building services can be added or modified with ease.

We help simplify future changes without replacing the entire wall.



Built for modern interiors

Klik Wall is a prefabricated internal partition solution designed for fast installation, clean finishes and flexible space planning.

The system combines aluminum framing, fibre cement substrate panels and selected outer finishes to create lightweight, non-load-bearing walls for commercial and institutional interiors.

100 mm

Nominal Thickness

1300 x 3200

Max Module (mm)

Internal

Application

Modular

Configuration

Designed for

OFFICES

Private rooms and work zones

EDUCATION

Classrooms and training rooms

GOLF SIMULATOR

Flexible separation and privacy

MEETING ROOMS

Quiet collaboration spaces

HEALTH

Enclosed internal spaces

DIVIDING WALLS

Solid, glazed or combined layouts

Engineered as a complete system

A standardized wall build-up ensures a faster and more consistent installation.

ALUMINUM FRAMING

Extruded AA603-T5 profiles, mill finish or powder-coated as specified.

FACE PANELS

Fibre cement substrate with selected finish layers to each side.

SUPPORTS + TRIMS


Top and bottom support channels, trims, fixings and project accessories.

GLAZING OPTIONS

Solid, glazed and wall-and-glass combination modules.

PROJECT-SPECIFIC DETAILS

Project-specific junctions and interfaces are detailed in approved shop drawings.



Built Like You

Our walls are inspired by the way we are made and the way we live

Bones

Strong Aluminum Frame


The structural core of the wall. Strong, stable and designed to support the full assembly.



Muscles

9 mm Cement Sheet


Compressed dense cement sheet fixed to the frame. Non-flammable, hard-wearing and resistant to impact and damage.



Clothes

Acoustic Panel

The outer finish layer. Choose any look you want while improving acoustic performance and appearance.



Choose any look for your clothes

Multiple colours and textures to match your space, style and performance needs.



A Finish for Every Space

Klik Wall allows interchangeable face materials to suit acoustic, decorative and functional requirements.



Acoustic PET Panel

Soft, tactile finish that helps control internal echo and reverberation.



Whiteboard

Writable surface suited to meeting rooms, education and collaboration spaces.



Timber Panel

Adds warmth and decorative character with a natural surface expression.



Glass Panel

Clear or translucent option that brings light, openness and visibility.



Decorative Metal Finish

Stainless steel or decorative metal surface for a durable contemporary look.

Choose the face material, colour and level of transparency to suit the space.
Availability and final specification are confirmed for each project.

UP TO
Rw 50*

With excellent echo
suppression

*Indicative only.
Final performance requires
project-specific verification.

WALL FINISH
(APPLIED OVER 9 MM CEMENT BOARD)

INDICATIVE RW

Acoustic PET panel

Echo ★★★★★

38-45

Plasterboard

Echo ★★★★★

41-48

Timber panel

Echo ★★★★★

40-47

Glass

Echo ★★★★★

43-50

Rw measures airborne sound insulation.

Core materials

Aluminum framing and fibre cement sheeting are considered non-combustible materials under NCC 2022 when used in relevant applications.

Smoke and fire options

GRADE A

For more smoke-sensitive interiors such as childcare centres, hospitals and schools.

GRADE B

For standard office and commercial interior applications.

Acoustic PET panels are available in Class A and Class B smoke and fire-rated options, subject to the selected product and supporting documentation.

Reference standards

ALUMINUM	ASTM B221M-13 or equivalent
FIBRE CEMENT	ASTM NZS 2908.2; ASTM C1288 / C1186 where applicable
FIRE + SMOKE	AS 5637.1 with associated AS ISO 9705 methodology
NCC	NCC 2022 provisions for non-combustible and permitted building materials
POWDER COAT	AAMA 2603 or AAMA 2604, subject to the nominated finisher

All compliance claims remain subject to final project confirmation.

Material and compliance pathway

Final compliance is confirmed against the nominated products, wall build-up, finisher and project specification.

IMPORTANT

Klik Wall is not represented as a file name. Its name is the complete approved build-up that is supported by full-system testing or certification.



Fast to install Ready to adapt

The system is installed in accordance with approved shop drawings and the project-specific methodology.

01

SET OUT + SUPPORTS

Confirm opening, then securely fix top and bottom support members.

02

ALIGN THE FRAME

Install framing, plum, straight and aligned to the approved layout.

03

FIT THE MODULES

Install boards, glazing, finishes, trims and required accessories.

03

FINISH + INSPECT

Complete joints, seals and interfaces, then inspect the final presentation.

TRAINED INSTALLERS

Installers must complete the Glazed Frog Klik Wall Installation Seminar to maintain warranty validity.



GARRAN SUPER SCHOOL



BACK NINE GOLF SIMULATOR



GLAZED FROG FATORY OFFICE





Designed, engineered and supported by Glazed Frog

Glazed Frog is a multidisciplinary design and construction company delivering practical glazing and modular building solutions. Our team works with builders, architects and developers from concept through to completion, combining technical expertise, precise manufacturing and hands-on project support.



CONTACT

www.glazedfrog.com
+61 432 778 253

Scan to explore more

KLIK WALL
Modular wall system